

(c) when was the last repair undertaken there?

Mr. V. K. Aravindaksha Menon (Chief Engineer):

(a) and (b) The repairs to the jetty at Edacochin are being carried out.

(c) In 1110.

**PALATHODE ROAD—WIDENING OF—EXPENDITURE
REGARDING.**

347. Mr. C. R. Iyyunni (Trichur-South): Will the Government be pleased to say:—

(a) what is the amount spent for broadening the road in Ernakulam along the Palathode Canal;

(b) whether the Government has given a contribution towards the same;

(c) if so, how much?

Mr. V. K. Aravindaksha Menon (Chief Engineer): (a)

The amount spent can be ascertained only after the work is completed. The estimate amount is Rs. 65,500.

(b) and (c) The work is being carried out by the Government, the Municipality contributing Rs. 24,000.

Mr. C. R. Iyyunni (Trichur-South): May I know whether there is any tender deduction?

Mr. V. K. Aravindaksha Menon (Chief Engineer): I want notice.

**GRANT-IN-AID DISPENSARIES—PARTICULARS
REGARDING.**

348. Mr. V. N. Damodaran Nambiar (Trippunittura): Will the Government be pleased to state:—

(a) the number of grant-in-aid rural dispensaries in the State;

(b) the number of villages and population served by them;

(c) the value of medicine supplied to each of them every year;

(d) the value of medical instruments, if any, supplied to each dispensary;

(e) the number of Government dispensaries in the State;

(f) the number of towns and villages and population served by them;

(g) whether there is any provision in any of the grant-in-aid dispensaries in the State for treating emergency cases as in-patients?